

Oneida

CLEANING CODE

GENERAL SPECIFICATIONS

WEIGHT (LINEAR YARD) 19.0 oz per linear yard

WIDTH 54"

COMPOSITION 90% Polyester / 8% Polyurethane / 2% Silicone

■ PIFCF DYFD ☐ YARN DYFD ☐ FIBER DYFD ☐ PILE DOBBY

☐ JACQUARD

YARN PER INCH 126 EPI, 46 PPI

YARN SIZE 300D Warp, 300D+630D Fill

BACKING Polyurethane

> SW, Spot clean with upholstery shampoo, foam from a mild detergent, or mild dry cleaning solvent. Do not saturate with liquid. Pile fabrics may require brushing to restore appearance. Cushion cover should not be removed and dry cleaned. BC, Lightly spray with a 10% dilution of Household Bleach and water.

After the appropriate contact time, blot surface dry and wipe or rinse

with fresh water and blot dry.

PHYSICAL PERFORMANCE SPECIFICATIONS

ABRASION RESISTANCE 90.000 Double Rubs ASTM D4157-13 HYDROSTATIC PRESSURE (SUTER) 270+cm (maximum) AATCC 127-13, Option 1 BREAKING STRENGTH 274 Warp, 266 Fill ASTM D5034-09 **BRUSH PILL** Class 4.5 **ASTM D3511** CROCKING RESISTANCE 5 Dry, 5 Wet **AATCC 8-2016** COLORFASTNESS TO LIGHT Class, 40 hours AATCC 16.3-2014 SEAM SLIPPAGE 107 Warp, 108 Fill ASTM D4034-92 WATER REPELLENCY SPRAY TEST 100 AATCC 22-2014 TEAR STRENGTH: TONGUE TEAR 56.8 Warp, 73.6 Fill ASTM D2261-13

FLAME RETARDANCY SPECIFICATIONS

CALIFORNIA TECHNICAL BULLETIN 117:13 Pass UFAC CLASS I Pass **NFPA 260** Pass

REDUCED ENVIRONMENTAL IMPACT

THIS PRODUCT DOES NOT POSE ANY EXPOSURE RISKS ASSOCIATED WITH THE CHEMICALS IN PROP 65 NO ADDED FLAME RETARDANT CHEMICALS - AB2998 COMPLIANT NO ADDED ANTI-BACTERIAL / ANTI-MICROBIAL CHEMICALS LEAD / HEAVY METAL FREE BPA FREE / TRIS FREE / FORMALDEHYDE FREE DOES NOT CONTAIN CONFLICT MINERALS



Disclaimer: This product meets the Healthy Interior goals of the Safer Chemical Challenge according to the manufacturer Practice Greenhealth does not verify this information



^{*}Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan.